

Ref.: HO/RMP/Yarn/3

/2016-17

Date: 16 .06.2016
Through: Speed Post

Dear Sir,

Tender Notice published in The Economic Times, Chandigarh, Jaipur, Lucknow Dated 16th June, 2016

We require urgently quantity of App. 12197 Kgs. (App. 2325Kgs. Of 1/19N/M, 1945 Kgs. of 1/24NM, 1380 kgs. of 1/23NM (Weft) and App. 2624 Kgs. of 2/41NM, 3923 kgs. of 2/46NM (Warp), 64^s Australian Origin (All Wool) and App. 3310 Kgs. (App. 1450 kgs. of 1/20NM Weft and App. 1860 Kgs. 2/38NM (Warp) 80/20 V/W Yarn NM (56^s Australian Origin) and App. 1488 Kgs. 2/54NM (Warp) 75/25 P/W Yarn & App. 2484 Kgs. (App. 1296 Kgs. 1/20NM (Weft) & App. 1188 Kgs. of 2/41 NM Warp 52/48 P/W Yarn (64^s Australian Origin) Top Dyed Light Medium and Dark for our NEWM Branch, Dhariwal as per quality specifications given in Technical Bid enclosed.

The manufacturers are requested kindly to send us their rates, terms and conditions. The sealed quotations for Technical Bid and Financial Bid in the prescribed format only (enclosed) be submitted in separate envelop and same should kept in a bigger cover which should also be sealed and duly superscribed. Quotation for 64^s Australian Origin (All Wool) and 80/20 V/W Yarn (56^s Australian Origin) & 75/25 P/W Yarn and 52/48 P/W Yarn (64^s Australian Origin) and send to the undersigned. Only those Financial Bid will be considered whose Technical Bid is as per our Technical Specifications. Rates should be mentioned in Financial Bid only. The offers should reach latest by 07.07.2016 upto 4.00 pm. The Technical Bid will be opened on same day at 4.30 pm at the BIC Head Office, Kanpur in the presence of Tenderers willing to attend. The Purchaser reserves the right to cancel any or all the quotations without assigning any reason thereof.

Please visit our Web Site www.lal-imli.com for details and downloading of Tender documents. For any other information please contact 8604212074, 9935348570, 9454948636 and 09501148636.

(R.K. Shukla)
Wool Purchase Officer

TENDER FORM

T/E No. HO/RMP/Yarn/3 /2016-17 dated 16th June, 2016 for supply of App. 12197 Kgs. (App. 2325Kgs. Of 1/19NM, 1945 Kgs. of 1/24NM, 1380 kgs. of 1/23NM (Weft) and App. 2624 Kgs. of 2/41NM, 3923 kgs. of 2/46NM (Warp), 64^s Australian Origin (All Wool) and App. 3310 Kgs. (App. 1450 kgs. of 1/20NM Weft and App. 1860 Kgs. 2/38NM (Warp) 80/20 V/W Yarn NM (56^s Australian Origin) and App. 1488 Kgs. 2/54NM (Warp) 75/25 P/W Yarn & App. 2484 Kgs. (App. 1296 Kgs. 1/20NM (Weft) & App. 1188 Kgs. of 2/41 NM Warp 52/48 P/W Yarn (64^s Australian Origin) Top Dyed Light Medium and Dark for our NEWM Branch, Dhariwal.

- | | | |
|---|------------------------------------|---|
| 1 | Name and Address of the Purchaser | The British India Corporation Ltd.,
(A Govt. of India Company)
11/6, Parbati Bagla Road, Kanpur |
| | Item | 64 ^s Australian Origin (All Wool) Yarn
80/20 V/W Yarn (56 ^s Australian Origin)
75/25 P/W Yarn 64 ^s Australian Origin
52/48 P/W Yarn 64 ^s Australian Origin. |
| | Quantity | App. 5650 Kgs. of 1/19NM, 1/24NM, 1/23NM (Weft)
App. 6547 Kgs. of 2/41NM, 2/46NM (Warp)
App. 1450 Kgs. of 1/20NM 80/20 V/W Weft
App. 1860 Kgs. of 2/38NM 80/20 V/W Warp
App. 1296 Kgs. of 1/20NM 52/48 P/W
App. 1188 Kgs. of 2/41NM 52/48 P/W
App. 1488 Kgs. of 2/54NM 75/25 P/W Warp
Total 19479.00 |
| 2 | Date & Time of Receipt of Tender | 07.07.2016 upto 4.00 pm |
| 3 | Date and time of Opening of Tender | 07.07.2016 upto 4.30 pm sharp |
| 4 | Advertisement | Open Tender |
| 5 | Delivery required | Within 30 Days |
| 6 | Inspection Authority | GM or Authorized Representative deputed by GM |

TERMS AND CONDITIONS OF THE TENDER

1. In Case the due date is declared a holiday, tender shall be opened on next working day. However, the Tender Box will be sealed at the scheduled date and time.
2. The Technical Bids will be opened first and the price bid of only technically approved firms will be opened. The firm's representative may be preset at the time of opening of technical bid if desired so.
3. Rates will be F.O.R. NEWM Branch, Dhariwal with breakup of Statutory Taxes and Transit Insurance coverage.
4. Payment Terms: 95% of the value of each supply at the time of delivery along with laboratory report after inspection and acceptance of material at works. The balance payment 15days after each delivery
5. Supply should be completed within the delivery period failing which liquidated damage will be charged @2% of total cost per month of delay of the item.
6. Arbitration Clause: In case of any dispute arises out of this agreement the same will be decided by an Arbitrator under the provisions of Arbitration and conciliation act of 1996, to be appointed by CMD, BIC. Decision of the arbitrator shall be final and binding on both the parties.
7. The management of BIC reserves the right to accept or reject any or all the tenders without assigning any reason thereof.
8. All papers of this tender form should be signed by the authorized signatory of the firm.
9. You will give us Excise Duty Gate pass in our mills name i.e. New Egerton Woollen Mills Branch (Dhariwal), Distt. Gurdaspur (Punjab) to enable us to claim MODVAT benefit, if any.
10. Inspection: All supplies shall be subject to test (before despatch at the Government Testing Laboratory/WRA Testing Lab.)

Signature of the Issuing Officer

TECHNICAL BID

1. Name of the Firm :

- 2 Correspondence Address :
Telephone No. Fax No. and E
Mail address

- 3 Factory Address Telephone No. :
Fax No. & Email address

- 4 Whether manufacturer, Yes/No :

- 5 Registration certificate, if any :

- 6 Item Quoted :

- 7 Quantity :

- 8 Specification (As per Appendix-A :
Enclosed)

- 9 Sales Tax / VAT Registration No. :

- 10 Excise Certificate No. :

11. Production Capacity :

Signature
(Authorized Signatory of the firm)

Contd.....2

12. Three advance sample of yarn of :
main supply as per the
specification will be submitted
within 15 days of receipt of such
an order

13 Status of the firm (Whether :
Company /Partnership/
Proprietary)

14 Whether Registered with the :
registrar of companies / Registrar
of firms

15. Whether as assesses of income :
tax, If so mention permanent
account no. (PAN No.)

16 Furnish the name of three :
responsible persons who will deal
the business in future

Name Designation Contact No.

1

2

3

17 Certificate of Origin of wool which
has been offered.

18 Name of parties whom you sold
out the material in last three
years.

19 Payment Terms

20 Validity of Rate

Signature
(Authorized Signatory of the firm)

Contd.....3

21. Detail of Machines in the Plant

S.No.	Name of the Machine	Make and Model	No. of Machine
1	Blending Gill Boxes or Defelter		
2	Pre combing Gill boxes		
3	Combing Machine		
4	Post combing Gill Boxes		
5	Preparatory Gill Boxes for Roving		
6	Roving Machine		
7	Ring Frame		
8	Auto Cone Winding Machine		
9	Parallel Winding machine		
10	Twisting Machine		

Signature
(Authorized Signatory of the firm)

Contd.....4

Technical Specification of NEWM Product

S. No.	Particulars	2325.00 Kgs.-	2624.00 kgs.-	1945.00 kgs. -	2211.00 kgs. -
		Weft	Warp	Weft	Warp
		Single	Double	Single	Double
1	Composition	All Wool	All Wool	All Wool	All Wool
2	Count (N/M)	1/19	2/41	1/24	2/46
3	Count CV%	(+ -) 2.5%	(+ -) 2.5%	(+ -) 2.5%	(+ -) 2.5%
4	T.P.I.	10.5 to 11	15 to 16	12.5 to 13.5	17 to 17.5
5	T.P.I. CV%	(+ -) 5 to 6	(+ -) 5 to 6	(+ -) 5 to 6	(+ -) 5 to 6
6	Breaking strength (gms)	325	350	250	300
	50Cms of Sample Length				
	Tolerance	(+ -) 5%	(+ -) 5%	(+ -) 5%	(+ -) 5%
7	Wool Grade	64s Aust. Origin	64s Aust. Origin	64s Aust. Origin	64s Aust. Origin
8	Wool Micron (IS5911-1977)	21.10 to 22.59	21.10 to 22.59	21.10 to 22.59	21.10 to 22.59
9	U%	10 to 11	11 to 12	10 to 11	11 to 12
	Thin/1000Mtrs.	25 to 30	11 to 12	10 to 11	11 to 12
	Thick/1000Mtrs.	10 to 15	8 to 12	10 to 15	8 to 12
	Neps/1000Mtrs.	4 to 6	4 to 6	10 to 15	8 to 12
10	Colour Fastness				
a)	Washing	4	4		
b)	Perspiration	4 to 4.5	4 to 4.5		
c)	Rubbing				
i)	Dry	4 to 4.5	4 to 4.5		
ii)	Wet	4 to 4.5	4 to 4.5		
d)	Light (Day)	5 to 5.6	5 to 5.6		
e)	Sublimation	4 to 4.5	4 to 4.5		
11	Moisture	As per Std. Norms IS 13157, 1996		As per Std. Norms IS 13157, 1996	
12	Shade	As per Sample		As per Sample	
13	Contamination of Fibre	1 Per Gms	1 Per Gms	Nil	Nil
14	Dead Fibre Other Colour	1 Per 10 Gms	1 Per 10 Gms	1 Per 10 Gms	1 Per 10 Gms
15	Fatty Matter Contents	Less Than 1%	Less Than 1%	Less Than 1%	Less Than 1%
16	Requirement of Yarn	490 gms.	560 gms.	410 gms.	466 gms.

Technical Specification of NEWM Product

S. No.	Particulars	1380.00 Kgs.-	1712.00 kgs.-	1450.00 kgs. –	1860.00 kgs. -
		Weft	Warp	Weft	Warp
		Single	Double	Single	Double
1	Composition	All Wool	All Wool	56 ^s W 20%V80%	56 ^s W 20%V80%
2	Count (N/M)	1/23	2/46	1/20	2/38
3	Count CV%	(+ -) 2.5%	(+ -) 2.5%	(+ -2)	(+ -2.5)
4	T.P.I.	12 to 12.5	17 to 17.5	12	15
5	T.P.I. CV%	(+) 5 to 6	(+) 5 to 6	(+ -2.5)	(+ -2.5)
6	Breaking strength (gms)	260	300	350	450
	50Cms of Sample Length				
	Tolerance	(+ -) 5%	(+ -) 5%		
7	Wool Grade	64s Aust. Origin	64s Aust. Origin	56s Aust. Origin	56s Aust. Origin
8	Wool Micron (IS5911-1977)	21.10 to 22.59	21.10 to 22.59	26.40 to 27.84	26.40 to 27.84
9	U%	10 to 11	11 to 12	10 to 11	12 to 13
	Thin/1000Mtrs.	10 to 11	11 to 12	10 to 12	8 to 10
	Thick/1000Mtrs.	10 to 15	8 to 12	5 to 8	5 to 6
	Neps/1000Mtrs.	10 to 15	8 to 12	8 to 10	4 to 6
10	Colour Fastness				
a)	Washing	4	4	4	4
b)	Perspiration	4 to 4.5	4 to 4.5	4 to 4.5	4 to 4.5
c)	Rubbing				
i)	Dry	4 to 4.5	4 to 4.5	4 to 4.5	4 to 4.5
ii)	Wet	4 to 4.5	4 to 4.5	4 to 4.5	4 to 4.5
d)	Light (Day)	5 to 5.6	5 to 5.6	5 to 5.6	5 to 5.6
e)	Sublimation	4 to 4.5	4 to 4.5	4 to 4.5	4 to 4.5
11	Moisture	As per Std. Norms IS 13157, 1996		As per Std. Norms IS 13157, 1996	
12	Shade	As per Sample		As per Sample	
13	Contamination of Fibre	Nil	Nil	1 Per Gms	1 Per Gms
14	Dead Fibre Other Colour	1 Per 10 Gms	1 Per 10 Gms	1 Per 10 Gms	1 Per 10 Gms
15	Fatty Matter Contents	Less Than 1%	Less Than 1%	Less Than 1%	Less Than 1%
16	Requirement of Yarn	350 gms.	430 gms.	362 gms.	464 gms.

Technical Specification of NEWM Branch, Kanpur

S.No.	Particulars	1488.00 Kgs.	1296.00 Kgs.	1188.00 Kgs.
		Double	Single	Double
1	Composition	64 ^s W25%P75%	64 ^s W48%P52%	64 ^s W48%P52%
2	Count (N/M)	2/54	1/20	2/41
3	Count CV%	(+2.5)	(+1.5)	(+2.5)
4	T.P.I.	18	11	15
5	T.P.I. CV%	(+2)	(+2)	(+2)
6	Breaking strength (gms)	650	400	700
	50Cms of Sample Length			
	Tolerance			
7	Wool Grade	64s Aust. Origin	64s Aust. Origin	64s Aust. Origin
8	Wool Micron (IS5911-1977)	21.10 to 22.59	21.10 to 22.59	21.10 to 22.59
9	U%	10 to 11	11 to 12	10 to 11
	Thin/1000Mtrs.	5 to 10	8 to 10	5 to 10
	Thick/1000Mtrs.	10 to 12	12 to 14	10 to 12
	Neps/1000Mtrs.	8 to 10	5 to 6	8 to 10
10	Colour Fastness	4	4	4
a)	Washing	4 to 4.5	4 to 4.5	4 to 4.5
b)	Perspiration	4 to 4.5	4 to 4.5	4 to 4.5
c)	Rubbing			
i)	Dry	4 to 4.5	4 to 4.5	4 to 4.5
ii)	Wet	4 to 4.5	4 to 4.5	4 to 4.5
d)	Light (Day)	6 and above	6 and above	6 and above
e)	Sublimation	4 and above	4 and above	4 and above
11	Moisture	As per Std. Norms IS 13157, 1996	As per Std. Norms IS 13157, 1996	As per Std. IS 13157, 1996
12	Shade matching by Computer	Top Dyed Light Medium & Dark	Top Dyed Light Medium & Dark	Top Dyed Light Medium & Dark
13	Contamination of Fibre	Nil	Nil	Nil
14	Dead Fibre Other Colour	Nil	Nil	Nil
15	Fatty Matter Contents	0.4-0.6	0.4-0.6	0.4-0.6
16	Vet Matter %	Nil	Nil	Nil
17	Requirement of Yarn	248 gms.	166 gms.	248 gms.

PRICE BID

Name of the Firm and Address :

Item :

Quantity :

Rate (F.O.R. NEWM Br. Dhariwal) :
(Rate should be quoted in words
And figures.)

Signature
(Authorized Signatory of the firm)